



DESIGN

LOOKBOOK

VINYL FLOORING



Preview today, live tomorrow.

Visualise your future home today. The tilo Floor Layer app helps you reach a decision quickly with confidence. View product ranges with a single tap and get realistic room planning without having to seek out samples and sales advice.



Floor Layer
app



COMPANY DETAILS

Published by: tilo flooring GmbH
As at: 10 / 2026

Printing and typographical errors reserved.
The images in this brochure may differ from
the actual colour variations.

Range

- 5 Legend
- 6 Floor features

Collections

- 10 ELITO TREND
- 24 GRANDO
- 34 NOVO
- 48 FAVORITO
- 56 ELEGANTO
- 64 GRANDO SPA
- 72 NOVO SPA
- 82 ELEGANTO SPA
- 86 ROBUSTO PRO+



Legend



simpleFIX locking system

simpleFIX ensures particularly fast and secure installation, and is ideal for modern living areas where function and appearance go hand in hand.



Floating installation

With a floating installation, the planks are installed loose on polyethylene sheeting and can be easily removed again.



Impact sound insulation

tilo floors offer integrated insulation or can be combined with a suitable underlay for greater peace and quiet in the room.




Twist PLUS varnished

Robust and easy to maintain with a natural appearance – delivering a sense of calm and clarity.




tiloFIX locking system

The tiloFIX locking system is robust and suitable for everyday use. Thanks to the precise click, stable joints are guaranteed with extremely simple installation.



Full spread gluing

With full spread gluing, the floor is glued directly to the subsurface. The result is perfect impact sound coupled with optimum thermal conduction.



Underfloor heating

All tilo floors are suitable for installation on underfloor heating systems, whether parquet or vinyl flooring.

Floor features

	ELITO TREND	GRANDO
Product group	HDF vinyl	HDF vinyl
Wear layer	0.55 mm	0.55 mm
Core layer	High density fibreboard	High density fibreboard
Counter act	Cork impact sound insulation	Cork impact sound insulation
Format	2,200 x 216 x 10 mm	1,840 x 216 x 10 mm
Surface structure	Softsynchron	Softsynchron
Service class	EN ISO 10874 = 33	EN ISO 10874 = 33
Coating		
Locking system		
Bevelled edge		
Underfloor heating/cooling		
Installation		
tilo quality guarantee		

NOVO	FAVORITO	ELEGANTO
HDF vinyl	HDF vinyl	HDF vinyl
0.3 mm	0.3 mm	0.55 mm
High density fibreboard	High density fibreboard	High density fibreboard
Cork impact sound insulation	Cork impact sound insulation	Cork impact sound insulation
1,205 x 210 x 9.8 mm	1,205 x 210 x 9.8 mm	1,210 x 288 x 10 mm
Softsynchron	Brushed	Wave
EN ISO 10874 = 31	EN ISO 10874 = 31	EN ISO 10874 = 33
		
		
		
		
		
		

Floor features

	GRANDO SPA	NOVO SPA
Product group	SPC vinyl	SPC vinyl
Wear layer	0.55 mm	0.3 mm
Core layer	Rigid board	Rigid board
Counter act	iXPE counter act	iXPE counter act
Format	1,830 x 225 x 5.5 mm	1,220 x 225 x 5 mm
Surface structure	Softsynchon	Softsynchon
Service class	EN ISO 10874 = 33	EN ISO 10874 = 31
Coating		
Locking system		
Bevelled edge		
Underfloor heating		
Installation	 	 

ELEGANTO SPA	ROBUSTO PRO+
SPC vinyl	Dryback vinyl
0.55 mm	0.55 mm
Rigid board	Multi-layer support vinyl
iXPE counter act	
1,220 x 225 x 5 mm	1,219.2 x 228.6 x 2.5 mm
Sand	Softsynchro
EN ISO 10874 = 33	EN ISO 10874 = 42
	
	
	
	
	

HDF VINYL

ELITO TREND

SETS NEW STANDARDS.

ELITO TREND with CoreColor concept: authentic colour, dimensions and feel. Each large plank has its own unique decor, with matching stairs and skirtings creating the perfect link to our parquet products.





ELITO TREND Oak Weiss

ELITO TREND Oak Natur



bevelled (4V), soft-synchron, vibrant wood design
2,200 x 216 x 10 mm

10 00582 01



ELITO TREND
Oak Caramel

bevelled (4V), soft-synchron, vibrant wood design
2,200 x 216 x 10 mm



10 00579 01



ELITO TREND
Oak Natur!Pur



bevelled (4V), soft-synchron, vibrant wood design
2,200 x 216 x 10 mm

10 00583 01



ELITO TREND
Oak Crema!Pur

bevelled (4V), soft-synchron, vibrant wood design
2,200 x 216 x 10 mm



10 00580 01



ELITO TREND
Oak Weiss



bevelled (4V), soft-synchron, vibrant wood design
2,200 x 216 x 10 mm

10 00585 01



ELITO TREND
Oak Sahara

bevelled (4V), soft-synchron, vibrant wood design
2,200 x 216 x 10 mm



10 00584 01



ELITO TREND
Oak Natur



bevelled (4V), soft-synchron, serene wood design
2,200 x 216 x 10 mm

10 00659 01



ELITO TREND
Oak Caramel

bevelled (4V), soft-synchron, serene wood design
2,200 x 216 x 10 mm



10 00660 01



ELITO TREND
Oak Natur!Pur



bevelled (4V), soft-synchron, serene wood design
2,200 x 216 x 10 mm

10 00661 01



ELITO TREND

Oak Crema!Pur

bevelled (4V), soft-synchron, serene wood design
2,200 x 216 x 10 mm



10 00662 01



ELITO TREND
Oak Weiss



bevelled (4V), soft-synchron, serene wood design
2,200 x 216 x 10 mm

10 00663 01



ELITO TREND
Oak Sahara

bevelled (4V), soft-synchron, serene wood design
2,200 x 216 x 10 mm



10 00664 01



HDF VINYL

GRANDO

LARGE DIMENSIONS
FOR A SPACIOUS FEEL.

GRANDO is part of the OneDesign vinyl concept and stands for single plank dimensions with softsynchro feel, 0.55 mm wear layer and full spread gluing thanks to force-fit short end connection.





GRANDO Oak Puna

GRANDO

Oak Macadamia



bevelled (4V), soft-synchron, wood design
1,840 x 216 x 10 mm

10 00657 01



GRANDO Oak Kalahari

bevelled (4V), soft-synchron, wood design
1,840 x 216 x 10 mm



10 00655 01



GRANDO Oak Finca



bevelled (4V), soft-synchron, wood design
1,840 x 216 x 10 mm

10 00654 01



GRANDO Oak Puna

bevelled (4V), soft-synchron, wood design
1,840 x 216 x 10 mm



10 00651 01



GRANDO Oak Yuma



bevelled (4V), soft-synchron, wood design
1,840 x 216 x 10 mm

10 00652 01



GRANDO Oak Suma

bevelled (4V), soft-synchron, wood design
1,840 x 216 x 10 mm



10 00653 01



GRANDO Oak Savanne



bevelled (4V), soft-synchron, wood design
1,840 x 216 x 10 mm

10 00658 01



GRANDO Oak Nox

bevelled (4V), soft-synchron, wood design
1,840 x 216 x 10 mm



10 00656 01



HDF VINYL

NOVO

ALWAYS KEEPING A
FINGER ON THE PULSE.

Featuring on-trend decors, the wood gradings in the collection range from understated to rustic. As part of the OneDesign vinyl concept, selected decors are also available in long plank format.





NOVO Oak Yuma

NOVO Oak Sand



unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm

10 00015 01



NOVO Oak Macadamia

unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm



10 00016 01



NOVO
Oak Kalahari



unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm

10 00017 01



NOVO Oak Finca

unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm



10 00019 01



NOVO Oak Victoria



unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm

10 00023 01



NOVO Oak Dolomit

unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm

10 00024 01



NOVO Oak Puna



unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm

10 00623 01



NOVO Oak Yuma

unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm



10 00622 01



NOVO Oak Suma



unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm

10 00650 01



NOVO Oak Safari

unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm



10 00014 01



NOVO Oak Savanne



unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm

10 00018 01



NOVO Larch Natur

unbevelled, soft-synchron, wood design
1,205 x 210 x 9.8 mm



10 00532 01



HDF VINYL

FAVORITO

SIMPLE DOES IT.

Simply good: the classic collection with six tried-and-tested decors for small rooms. A well-organised range, proven plank dimensions, integrated impact sound insulation and matching stairs and skirtings.





FAVORITO Oak Porzellan

FAVORITO
Maple Luxury



unbevelled, brushed, wood design
1,205 x 210 x 9.8 mm

10 00005 01



FAVORITO Oak Mandel

unbevelled, brushed, wood design
1,205 x 210 x 9.8 mm

10 00002 01



FAVORITO Oak Porzellan



unbevelled, brushed, wood design
1,205 x 210 x 9.8 mm

10 00003 01



FAVORITO Oak Sonora

unbevelled, brushed, wood design
1,205 x 210 x 9.8 mm

10 00004 01



FAVORITO Oak Nox



unbevelled, brushed, wood design
1,205 x 210 x 9.8 mm

10 00007 01



FAVORITO
Oak Helsinki

unbevelled, brushed, wood design
1,205 x 210 x 9.8 mm

10 00011 01



HDF VINYL

ELEGANTO

REIMAGINING STONE.

Elegant plank look, rugged enough for commercial requirements: ELEGANTO boasts a 0.55 mm wear layer, impact sound insulation for a quiet ambience, full spread gluing and matching stairs and skirtings.





ELEGANTO Stone Graphit

ELEGANTO Marble Polar



bevelled (4V), wave, stone design
1,210 x 288 x 10 mm

10 00061 01



ELEGANTO Stone Sand

bevelled (4V), wave, stone design
1,210 x 288 x 10 mm

10 00062 01



ELEGANTO
Marble Macarena



bevelled (4V), wave, stone design
1,210 x 288 x 10 mm

10 00063 01



ELEGANTO Concrete Natur

bevelled (4V), wave, stone design
1,210 x 288 x 10 mm

10 00064 01



ELEGANTO Stone Graphit



bevelled (4V), wave, stone design
1,210 x 288 x 10 mm

10 00065 01



ELEGANTO Slate Natur

bevelled (4V), wave, stone design
1,210 x 288 x 10 mm

10 00066 01




SPC VINYL

GRANDO SPA

UNEXPECTEDLY
IMPRESSIVE.

GRANDO SPA: large-format, with 100% waterproof panels according to EN 16511 and ideal for commercial settings thanks to its 0.55 mm wear layer. As part of the OneDesign Vinyl Concept, all decors in the GRANDO SPA collection are also available as HDF Vinyl.





GRANDO SPA Oak Kalahari

GRANDO SPA
Oak Macadamia



bevelled (4V), soft-synchron, wood design
1,830 x 225 x 5.5 mm

10 00543 01



GRANDO SPA
Oak Kalahari

bevelled (4V), soft-synchron, wood design
1,830 x 225 x 5.5 mm



10 00544 01



GRANDO SPA
Oak Finca



bevelled (4V), soft-synchron, wood design
1,830 x 225 x 5.5 mm

10 00545 01



GRANDO SPA
Oak Puna

bevelled (4V), soft-synchron, wood design
1,830 x 225 x 5.5 mm



10 00628 01



GRANDO SPA
Oak Yuma



bevelled (4V), soft-synchron, wood design
1,830 x 225 x 5.5 mm

10 00627 01



GRANDO SPA
Oak Suma

bevelled (4V), soft-synchron, wood design
1,830 x 225 x 5.5 mm



10 00629 01



SPC VINYL

NOVO SPA

WELLNESS FOR THE
SENSES.

NOVO SPA combines modern technology with on-trend design as part of the OneDesign vinyl concept, featuring a softsynchro feel, rustic and understated gradings and integrated impact sound insulation. NOVO SPA is suitable for floating installation and full spread gluing.





NOVO SPA Oak Puna

NOVO SPA
Oak Macadamia



bevelled (4V), soft-synchron, wood design
1,220 x 225 x 5 mm

10 00537 01



NOVO SPA
Oak Kalahari

bevelled (4V), soft-synchron, wood design
1,220 x 225 x 5 mm



10 00538 01



NOVO SPA
Oak Finca



bevelled (4V), soft-synchron, wood design
1,220 x 225 x 5 mm

10 00539 01



NOVO SPA
Oak Victoria

bevelled (4V), soft-synchron, wood design
1,220 x 225 x 5 mm



10 00540 01



NOVO SPA

Oak Dolomit



bevelled (4V), soft-synchron, wood design
1,220 x 225 x 5 mm

10 00541 01



NOVO SPA
Oak Puna

bevelled (4V), soft-synchron, wood design
1,220 x 225 x 5 mm



10 00625 01



NOVO SPA
Oak Yuma



bevelled (4V), soft-synchron, wood design
1,220 x 225 x 5 mm

10 00624 01



NOVO SPA
Oak Suma

bevelled (4V), soft-synchron, wood design
1,220 x 225 x 5 mm



10 00626 01



SPC VINYL

ELEGANTO SPA

ELEGANCE ON EVERY
LEVEL.

ELEGANTO SPA combines a tile look with comfort and function: waterproof panels according to EN 16511, quiet and thin.

A streamlined range with best-selling stone-design decors - also for stairs and skirtings.





ELEGANTO SPA Slate Natur

ELEGANTO SPA
Concrete Natur



bevelled (4V), sand, stone design
1,220 x 225 x 5 mm

10 00546 01



ELEGANTO SPA
Slate Natur



bevelled (4V), sand, stone design
1,220 x 225 x 5 mm

10 00547 01



DRYBACK VINYL

ROBUSTO PRO+

PUSHING THE
BOUNDARIES.

Only 2.5 mm thick yet flexible in use. For creative laying patterns in commercial settings. Design that connects surfaces – from floor to wall.





ROBUSTO PRO+ Oak Dolomit

ROBUSTO PRO+

Oak Macadamia



bevelled (4V), soft-synchron, wood design
1,219.2 x 228.6 x 2.5 mm

10 00565 01



ROBUSTO PRO+
Oak Kalahari

bevelled (4V), soft-synchron, wood design
1,219.2 x 228.6 x 2.5 mm



10 00564 01



ROBUSTO PRO+
Oak Victoria



bevelled (4V), soft-synchron, wood design
1,219.2 x 228.6 x 2.5 mm

10 00566 01



ROBUSTO PRO+
Oak Dolomit

bevelled (4V), soft-synchron, wood design
1,219.2 x 228.6 x 2.5 mm



10 00563 01



Flooring system from Austria.

tilo flooring GmbH
Magetsham 19
A-4923 Lohnsburg

+43 7754 400-0
office@tilo.com
www.tilo.com